

M02.1 - ACETAMINOPHEN (TYLENOL)

Version date: 2025-01-27 Effective date: 2025-04-30 (07:00)

INDICATIONS

- Mild to moderate pain
- Fever

WARNINGS

ABSOLUTE CONTRAINDICATIONS:

Hypersensitivity to acetaminophen

USE WITH CAUTION:

- Known liver failure ¹
- Do not administer oral medications if anesthesia or surgery is anticipated within the next 4 hours

ADMINISTRATION		
ORAL	EMR / PCP / ICP / ACP	

ADULTS / ADOLESCENTS:

- 650 to 1000 mg
- Repeat every 4 hours as necessary (daily max = 5 doses)

INFANTS / CHILDREN:

- 10 to 15 mg/kg (max dose = 650 mg)
- Repeat every 4 hours as necessary (daily max = 75 mg/kg)

NOTES

1. Life-threatening liver toxicity has been associated with daily doses exceeding 4 grams in adults and 75 mg/kg in infants, children and adolescents.

APPROVED BY	
Bytherel	ffmant.
Provincial Medical Director	Associate Provincial Medical Director

	LINKS
• None	

VERSION CHANGES (refer to X08 for change tracking)

- Addition of advanced work scope
- Revised contraindications / cautions