

Home Care: Advanced Glucose Monitors in the Home Care Setting

Date issued: August 11, 2025

TO: All Health Regions and Health System Leaders for Distribution

RE: Newly Approved Clinical Guideline: Advanced Glucose Monitors in the Home Care Setting.

FROM: Dr. Amanda Condon, Provincial Medical Specialty Lead, Primary Care, Home, Community & Palliative Care;

Dr. Ashley Bhullar, Provincial Personal Care Home Medical Specialty Sub-Lead

Joe Puchniak, Provincial Clinical Service Lead, Home, Community & Palliative Care

CC: Dr. Chris Christodoulou, Interim Chief Executive Officer, Shared Health

Dr. José François, Provincial Chief Medical Officer, Shared Health

Georgina Veldhorst, VPQuality, Performance & Strategy, Shared Health

Lee Heinrichs, Executive Director, Provincial Clinical Programs,

Quality, Performance & Strategy, Shared Health

Sue Lotocki, Provincial Program Director, Primary Care, Home, Community & Palliative Care, Quality, Performance & Strategy, Shared Health

The provincially approved **Home Care: Advanced Glucose Monitors in the Home Care Setting Clinical Guideline** aims to enhance and standardize the use of advanced glucose monitors in home care. It provides comprehensive support for eligible clients who require assistance with these devices, ensuring the delivery of consistent, high-quality care. This guideline has been developed in collaboration with representatives from the Home Care programs across all five Health Regions and will be effective as of **August 11, 2025**.

To support the successful implementation of this guideline, an education package has been created. This resource is available to all Health Regions to facilitate training and promotes a comprehensive understanding and application of Advance Glucose Monitors in Home Care

The guideline and supporting materials are available on the [Shared Health Provincial Clinical Standards, Policies & Guidelines](#) web page.

We appreciate your support as we enhance individual outcomes and operational efficiency through provincial standardization and optimization. If there are any questions regarding this change, please contact Mona Spencer, Provincial Clinical Consultant, Home & Community Care, at mspencer3@sharedhealthmb.ca

Resources

[Clinical Communication: Home Care: Advanced Glucose Monitors in the Home Care Setting](#)

[Clinical Guideline: 630.105.117 Home Care: Advanced Glucose Monitors in the Home Care Setting](#)

[Vendor Specific Instructions / Resources to support Advanced Glucose Monitors in the Home Care Setting](#)

[Advanced Glucose Monitors in the Home Care Setting: Health Care Provider – Frequently Asked Questions](#)

[Learning Module: Advanced Glucose Monitors in Home Care Setting](#)