

### **Shared Health Emergency Response Services**

Shared **health** 

**General - Safe Work Procedure** 

# Extended PPE Donning/Doffing Requirements For AGMPs During COVID-19 Pandemic

Hazards Present:	Personal Protective	Equipment:	Minimum Training Requirement:
Biohazard	Gloves Protective eyewear Procedural Face Shield N95 Respirator mask or Reusable Half Mask Gown		Emergency Medical Responder
Purpose:		Indications:	
To provide direction on the donning/doffing of the required PPE for the performance of AGMPs during the COVID-19 Pandemic.  This policy assumes that the initial appropriate droplet and contact precautions PPE is already donned i.e. gloves, eye protection, surgical mask, and gown.		All patients requiring a medical procedure that can generate aerosols as a result of manipulation of a person's airway. These procedures are classified as Aerosol Generating Medical Procedures (AGMPs).  • Advanced airway procedures • Suctioning • Cardiopulmonary resuscitation • Non-invasive positive pressure ventilation	
Equipment:		Contraindications:	
<ul><li>Medical Gloves</li><li>Protective eyewear (alread</li><li>Procedural face shield</li></ul>	dy donned)	<ul> <li>Patient d of AGMF</li> </ul>	loes not require the performance

#### Safe Work Procedure

#### **Donning Procedure:**

Half Mask

Surgical mask (already donned)

Gown (already donned)

N95 Respirator mask or MSA Reusable

\*If a Reusable MSA Half Mask or N95 Respirator is already donned, perform hand hygiene with Alcohol Based Hand Sanitizer and start at step 10.

- 1. Maintain appropriate social distance from the patient, two meters (six feet), prior to removing PPE
- 2. Remove medical gloves using glove-to-glove, skin-to-skin technique
- 3. Perform hand hygiene with Alcohol Based Hand Sanitizer
- 4. Remove protective eyewear at appropriate social distance from the patient two meters (six feet) between yourself and the patient to reduce the risk of droplet contamination
- 5. Perform hand hygiene with Alcohol Based Hand Sanitizer
- 6. Remove surgical mask by straps behind head and with eyes closed and discard
- 7. Perform hand hygiene with Alcohol Based Hand Sanitizer
- 8. Don N95 respirator mask or Reusable MSA Half Mask. For MSA Half Mask Respirator see: **SWP** Respirator Mask MSA Half Mask Donning
- 9. Don clean protective eyewear
- 10. Don procedural face shield
- 11. Don medical gloves

## **Shared Health Emergency Response Services**

Shared **health** 

**General - Safe Work Procedure** 

# Extended PPE Donning/Doffing Requirements For AGMPs During COVID-19 Pandemic

#### **Doffing Procedure:**

- 1. Remove and discard medical gloves using glove-to-glove, skin-to-skin technique
- 2. Perform hand hygiene with Alcohol Based Hand Sanitizer
- 3. Remove gown: Start by unfastening the ties. Then, beginning at the back of your shoulders, pull the gown down over your arms. Roll the gown off and away from you and discard
- 4. Perform hand hygiene with Alcohol Based Hand Sanitizer
- 5. Remove and discard procedural face shield
- 6. Perform hand hygiene with Alcohol Based Hand Sanitizer
- 7. Remove protective eyewear (Clean with approved disinfectant wipes)
- 8. Perform hand hygiene with Alcohol Based Hand Sanitizer
- Remove N95 respirator mask or Half Mask Respirator by straps behind head/neck and with eyes closed. Discard N95 respirator. For MSA Half Mask Respirator see: SWP Respirator Mask MSA Half Mask Doffing
- 9. Perform hand hygiene with Alcohol Based Hand Sanitizer

### **Donning PPE:**

Steps for Extended PPE Requirements for AGMPs During COVID-19 Pandemic	Important Points
<ol> <li>Maintain appropriate distance from patient prior to donning PPE</li> <li>2m / 6ft</li> </ol>	Keep 2 meters (6 feet) away
2. Remove medical gloves	Grab the outside edge of your glove near the wrist and peel away from your hand, turning the glove inside out.  Hold the glove in the opposite gloved hand. Slide your un-gloved finger or thumb under the wrist of the remaining glove.  Peel the glove off and over the first glove. Put the gloves in the garbage.

## **Shared Health Emergency Response Services**

**General - Safe Work Procedure** 

# Extended PPE Donning/Doffing Requirements For AGMPs During COVID-19 Pandemic

#### 3. Hand Hygiene



Use an alcohol based hand sanitizer.

Shared **health Soins** communs

#### 4. Remove protective eyewear



Only touching the headband or earpieces, pull away from your face.

Set aside for later cleaning.

#### 5. Hand Hygiene



Use an alcohol based hand sanitizer

### **Shared Health Emergency Response Services**

**General - Safe Work Procedure** 

# Shared **health Soins** communs **Extended PPE Donning/Doffing** Requirements For AGMPs During COVID-19 Pandemic

Remove surgical mask



Bend forward slightly, and touch only the ties or elastic bands. Start with the bottom tie, and then remove the top tie. Place the mask in the garbage.

Do not touch the front of your mask

7. Hand Hygiene



Use an alcohol based hand sanitizer.

8. Don N95 respiratory mask or Reusable Half Mask



Secure the ties or elastic bands around your head so the mask stays in place. Fit the flexible band to your nose bridge. Ensure it fits snugly to your face and below your chin.

OR

If using a Reusable Half Mask, see SWP Respirator Mask - MSA Half Mask -**Donning** 

## **Shared Health Emergency Response Services**

**General - Safe Work Procedure** 

# Shared **health Soins** communs **Extended PPE Donning/Doffing** Requirements For AGMPs During COVID-19 Pandemic

#### Don Clean Protective Eyewear



#### 10. Don procedural face shield



The face shield offers additional protection to exposed areas of the face.

**START HERE** if already wearing MSA Half Mask Respirator – Perform hand hygiene and complete Step 10.

#### 11. Don medical gloves



Gloves must be clean, durable, chemical and tear resistant.

## **Shared Health Emergency Response Services**

**General - Safe Work Procedure** 

# Extended PPE Donning/Doffing Requirements For AGMPs During COVID-19 Pandemic

### **Doffing PPE:**

Steps for removing your PPE

#### **Important Points**

Shared **health Soins** communs

1. Remove medical gloves



Grab the outside edge of your glove near the wrist and peel away from your hand, turning the glove inside out.

Hold the glove in the opposite gloved hand. Slide your un-gloved finger or thumb under the wrist of the remaining glove.


Peel the glove off and over the first glove. Put the gloves in the garbage

2. Perform hand hygiene



Use an alcohol based hand sanitizer.

3. Removal of gown



Start by unfastening the ties. Then, beginning at the back of your shoulders, pull the gown down over your arms. Roll the gown off and away from you.

Dispose of the gown in an appropriate container.

## **Shared Health Emergency Response Services**

**General - Safe Work Procedure** 

# Shared **health Soins** communs **Extended PPE Donning/Doffing** Requirements For AGMPs During COVID-19 Pandemic

4. Perform hand hygiene



Use an alcohol based hand sanitizer.

5. Removal of procedural face shield



Only touching the headband of the mask, pictured with a red circle, pull this area away from your head and lift strap up. Pull the face shield away from your face.

Dispose of the face shield in the garbage.

6. Perform hand hygiene



Use an alcohol based hand sanitizer.

### **Shared Health Emergency Response Services**

**General - Safe Work Procedure** 

# Shared **health Soins** communs **Extended PPE Donning/Doffing Requirements For AGMPs During COVID-19 Pandemic**

#### 7. Remove safety glasses



Only touching the headband of the earpieces, pull away from your face.

Set aside for later cleaning. Be sure to use gloves and observe hand hygiene after cleaning safety glasses. Use approved cleaning wipes.

#### 8. Hand Hygiene



Use an alcohol based hand sanitizer.

#### 9. Remove Mask



Bend forward slightly, and touch only the ties or elastic bands. Start with the bottom tie, and then remove the top tie. Place the mask in the garbage.

Do not touch the front of your mask.

If wearing Half mask respirator follow - SWP Respirator Mask - MSA Half Mask -**Doffing** 

## **Shared Health Emergency Response Services**

**General - Safe Work Procedure** 

# Extended PPE Donning/Doffing Requirements For AGMPs During COVID-19 Pandemic

#### 10. Hand Hygiene



Use an alcohol based hand sanitizer.

Shared **health Soins** communs

#### \*\*Refer to Safety and Health Guidelines should an exposure or injury occur\*\*

Guiding Documentation	Created by: R. Sneath – 03/23/2020
MR 217/2006 Part 6: Personal Protective Equipment CDC Guidelines: https://www.cdc.gov/coronavirus/2019-ncov/hcp/guidance-for-ems.html	Training Reviewed: 03/23/2020
Donning and Doffing PPE: https://www.youtube.com/watch?v=B5ew8020fwc&feature=youtu.be	<b>Approved by RG/TH:</b> 03/23/2020
https://www.youtube.com/watch?v=Lly8DjGcvDM&feature=youtu.be	Implemented: 03/23/2020
	Revised: 02/04/2021
	12/23/2020
Change tracking: 02/04/2021	
Donning Step 1 and 11 revised	
MSA Half Mask used to reference both MSA Advantage 200 and 290 masks	
Removed step for donning/doffing a second pair of gloves	
Renumbered doffing procedure steps	